




ROCKGRAND GROUP DISTRIBUTION BOX MANUFACTURER

**ROCKGRAND®**



**MEGALEC® JUNCTION BOXES**

◆ MG-DJA

-ABS  
-Color: Ral 7035  
-Box without Cable sleeves IP56  
-Stainless Steel Screw



◆ MG-DJB

-ABS  
-Color: Ral 7035  
-Box without Cable sleeves IP56  
-Plastic Screw



Model	Size(mm)
MG-DJA1050	100x100x50
MG-DJA1080	100x100x80
MG-DJA1250	120x80x50
MG-DJA1570	150x110x70
MG-DJA1571	150x150x70
MG-DJA1580	150x150x80
MG-DJA1970	190x140x70
MG-DJA2480	240x240x80
MG-DJA2490	240x190x90
MG-DJA2425	240x190x125
MG-DJA3020	300x200x120
MG-DJA3070	300x220x170
MG-DJA3812	380x300x120
MG-DJA3817	380x300x170
MG-DJA4613	460x380x130

Model	Size(mm)
MG-DJB1050	100x100x50
MG-DJB1080	100x100x80
MG-DJB1250	120x80x50
MG-DJB1570	150x110x70
MG-DJB1571	150x150x70
MG-DJB1580	150x150x80
MG-DJB1970	190x140x70
MG-DJB2480	240x240x80
MG-DJB2490	240x190x90
MG-DJB2425	240x190x125
MG-DJB3020	300x200x120
MG-DJB3070	300x220x170
MG-DJB3820	380x300x120
MG-DJB3870	380x300x170
MG-DJB4630	460x380x130

◆ MG-ZJA

-ABS  
-Color: Ral 7035  
-Waterproof Junction Box-Europe series (IP65) -Opaque cover



◆ MG-ZJB

-ABS  
-Color: Ral 7035  
-Junction Box (Without Rubber Glands) IP55



Model	Size(mm)
MG-ZJA6055	60x50x55
MG-ZJA8560	85x85x60
MG-ZJA1070	100x100x70
MG-ZJA1170	110x80x70
MG-ZJA1270	120x100x70
MG-ZJA1570	150x110x70
MG-ZJA1580	150x150x80
MG-ZJA1775	175x125x75
MG-ZJA1710	175x125x100
MG-ZJA1880	180x180x80
MG-ZJA2080	200x100x80
MG-ZJA2081	200x155x80
MG-ZJA2082	200x200x80
MG-ZJA2510	250x200x100
MG-ZJA3030	300x250x130
MG-ZJA3530	350x300x130
MG-ZJA4030	400x350x130

MG-ZJB8050	80x50
MG-ZJB8550	85x85x50
MG-ZJB1070	100x100x70
MG-ZJB1570	150x110x70
MG-ZJB2070	200x100x70
MG-ZJB2010	200x100x110
MG-ZJB2080	200x155x80
MG-ZJB2081	200x200x80
MG-ZJB2580	255x200x80

**MEGALEC® JUNCTION BOXES**

◆ MG-ZJC

-ABS  
-Color: Ral 7035  
-Junction Box-SB series IP56



◆ MG-ZJD

-ABS  
-Color: Ral 7035  
-Junction Box-Spain series IP40



Model	Size(mm)
MG-DJC6535	65x35
MG-DJC8040	80x40
MG-DJC8040	80x80x40

Model	Size(mm)
MG-DJD1050	100x100x50
MG-DJD1250	120x80x50
MG-DJD1570	150x110x70
MG-DJD1970	190x140x70
MG-DJD2490	240x190x90
MG-DJD3020	300x200x120
MG-DJD3820	380x300x120
MG-DJD4630	460x380x130

Model	Size(mm)
MG-ZJE5030	50x30
MG-ZJE5050	50x50
MG-ZJE8050	80x50
MG-ZJE8051	80x80x50
MG-ZJE8550	85x85x50
MG-ZJE1070	100x100x70
MG-ZJE1571	150x110x70
MG-ZJE1572	150x150x70
MG-ZJE2080	200x155x80
MG-ZJE2070	200x100x70
MG-ZJE2080	200x200x80
MG-ZJE2580	255x200x80
MG-ZJE3020	300x250x120
MG-ZJE4020	400x350x120

Model	Size(mm)
MG-ZJC1070	100x100x70
MG-ZJC1570	150x150x70
MG-ZJC2080	200x200x80



Model	Size(mm)
MG-ZJD2060	200x150x60
MG-ZJD2080	200x150x80
MG-ZJD3040	300x200x40
MG-ZJD3060	300x200x60
MG-ZJD3080	300x200x80
MG-ZJD4060	400x300x60
MG-ZJD4080	400x300x80
MG-ZJD4020	400x300x120



◆ DJC&DJD

-ABS  
-Color: Ral7035  
-Box With Cable Sleeves  
-Plastic Screw



DJC

DJD

◆ MG-ZJE

-ABS  
-Color: Ral 7035  
-Junction Box(With Rubber Glands) IP55



### ◆MG-ZJF



-ABS  
-Color: Ral 7035  
-Junction Box HTC Series IP55

### ◆MG-ZJG



-PC Cover  
-ABS Base  
-Color:Ral 7035  
-Box without cable sleeves IP65  
-Transparent

Model	Size(mm)
MG-ZJF8550	85x85x50
MG-ZJF1070	100x100x70
MG-ZJF1570	150x110x70
MG-ZJF1571	150x150x70

Model	Size(mm)
MG-ZJG6055	60x50x55
MG-ZJG8560	85x85x60
MG-ZJG1070	100x100x70
MG-ZJG1170	110x80x70
MG-ZJG1270	120x100x70
MG-ZJG1570	150x110x70
MG-ZJG1580	150x150x80
MG-ZJG1775	175x125x75
MG-ZJG1710	175x125x100
MG-ZJG1880	180x180x80
MG-ZJG2080	200x100x80
MG-ZJG2081	200x155x80
MG-ZJG2010	200x200x100

Model	Size(mm)
MG-DJE2540	250x200x140
MG-DJE3040	300x250x140

### ◆MG-DJF



-PC Cover  
-ABS Base  
-Color:Ral 7035  
-Box without cable sleeves IP66  
-Transparent

Model	Size(mm)
DJ III 1025	84x84x50

### ◆DJ III



-20-32A,AC250V  
-Material: PC&PVC  
-Color:RAL7035

Model	Size(mm)
56L1	110x102x38
56L2	210x102x38

### ◆56L



-One&two module enclosure cove.  
-Available in resistive orange and resistive  
-Material: PC&PVC  
-Color:RAL7035

Model	Size(mm)
56E1	101x101x60
56E2	210x101x60
56E3	304x101x60
56E4	210x200x60
56E6	304x200x60
56E8	405x200x60
56E9	304x300x60

### ◆56E



-1, 2, 3, 4, 6, 8, 9 module enclosure.  
-Available in standard grey and resistive orange.  
-Material: PC&PVC  
-Color:RAL7035

### ◆MG-ZPA

-Distribution Box-TSM(Surface)Transparent Cover (IP40)  
-Material: Cover-PC  
Body-ABS  
-Color: White



Model	Size(mm)	Ways
MG-ZPA-3WAYS	95x150x60	3W
MG-ZPA-4WAYS	112x200x95	4W
MG-ZPA-6WAYS	148x200x95	6W
MG-ZPA-8WAYS	184x200x95	8W
MG-ZPA-10WAYS	222x200x95	10W
MG-ZPA-12WAYS	256x200x95	12W
MG-ZPA-15WAYS	312x200x95	15W
MG-ZPA-18WAYS	360x220x100	18W
MG-ZPA-24WAYS	270x328x100	24W
MG-ZPA-36WAYS	270x460x100	36W
MG-ZPA-45WAYS	325x470x100	45W

### ◆MG-ZPB

-Distribution Box-TSM(Flush)Transparent Cover (IP40)  
-Material:Cover-PC  
Body-ABS  
-Color: White



Model	Size(mm)	Ways
MG-ZPB-3WAYS	95x150x60	3W
MG-ZPB-4WAYS	136x221x90	4W
MG-ZPB-6WAYS	172x221x90	6W
MG-ZPB-8WAYS	208x221x90	8W
MG-ZPB-10WAYS	246x221x90	10W
MG-ZPB-12WAYS	278x221x90	12W
MG-ZPB-15WAYS	334x221x90	15W
MG-ZPB-18WAYS	398x251x100	18W
MG-ZPB-24WAYS	300x350x100	24W
MG-ZPB-36WAYS	300x482x100	36W
MG-ZPB-45WAYS	365x505x110	45W

Model	Size(mm)
MG-ZPC-ABC500	218x145x95
MG-ZPC-ABC700	252x174x95
MG-ZPC-ABC900	315x175x95
MG-ZPC-ABC1019	370x180x85
MG-ZPC-ABC1024	370x250x85

### ◆MG-ZPC

-Distribution Box ABC series Transparent Cover(IP40)  
-Material:Cover-PC  
Body-ABS  
-Color: White



Model	Size(mm)	Ways
MG-ZPD-3WAYS	118x141x98	3W
MG-ZPD-6WAYS	195x165x96	6W
MG-ZPD-8WAYS	236x195x96	8W
MG-ZPD-12WAYS	325x217x96	12W
MG-ZPD-18WAYS	325x247x96	18W
MG-ZPD-24WAYS	328x348x96	24W

### ◆MG-ZPD

-Distribution Box-LGD Series (Flush) IP 40  
-Material:Cover-PC  
Body-ABS



### ◆MG-ZPF

-Distribution Box SA series IP 40  
-Material:Cover-PC  
Body-ABS



Model	Size(mm)	Ways
MG-ZPF-SA4	112x152x70	SA4+1
MG-ZPF-SA8	180x150x70	SA8+1
MG-ZPF-SA12	258x168x70	SA12+1
MG-ZPF-SA17	370x175x75	SA17+1
MG-ZPF-SA24	335x270x80	SA24+1

### ◆MG-ZPG

-Distribution Box HAG I  
-Material: ABS



Model	Size(mm)	Ways
MG-ZPG-1WAY	34x130x60	1W
MG-ZPG-2WAYS	52x130x60	2W
MG-ZPG-4WAYS	87x130x60	4W
MG-ZPG-6WAYS	125x160x60	6W

Model	Size(mm)	Ways
MG-ZPH-1WAY	34x130x60	1W
MG-ZPH-2WAYS	52x130x60	2W
MG-ZPH-4WAYS	87x130x60	4W
MG-ZPH-6WAYS	125x160x60	6W
MG-ZPH-8WAYS	160x160x60	8W

### ◆MG-ZPH

-Distribution Box HAG II



Model	Size(mm)	Ways
MG-ZPI-2WAYS	45x130x80	2W
MG-ZPI-4WAYS	90x130x80	4W
MG-ZPI-6WAYS	135x130x80	6W
MG-ZPI-8WAYS	135x130x80	8W
MG-ZPI-12WAYS	180x130x80	12W
MG-ZPI-18WAYS	180x130x80	18W
MG-ZPI-24WAYS	340x250x95	24W

### ◆MG-ZPI

-Distribution Box HAG III



### MG-ZHA

-Water proof Distribution Box HA Series IP 65  
 -Material : Cover-PC  
 Body-ABS  
 -Color: Ral 7035



Model	Size(mm)	Ways
MG-ZHA-4WAYS	140x210x100	2-4W
MG-ZHA-8WAYS	215x210x100	2-8W
MG-ZHA-12WAYS	295x260x140	2-12W
MG-ZHA-18WAYS	410x285x140	2-18W
MG-ZHA-24WAYS	295x420x140	2-24W

### MG-ZHT

-Water proof Distribution Box HT Series IP 65  
 -Material : Cover-PC  
 Body-ABS  
 -Color: Ral 7035



Model	Size(mm)	Ways
MG-ZHT-5WAYS	120x160x90	5w
MG-ZHT-8WAYS	200x155x93	8w
MG-ZHT-12WAYS	253x197x108	12w
MG-ZHT-15WAYS	310x200x108	15w
MG-ZHT-18WAYS	365x198x108	18w
MG-ZHT-24WAYS	275x355x108	24w

Model	Size(mm)	Ways
MG-ZHK-5WAYS	140x140x100	2-5W
MG-ZHK-8WAYS	195x195x103	2-8W
MG-ZHK-12WAYS	270x195x103	2-12W
MG-ZHK-18WAYS	375x195x103	2-18W

### MG-ZHK

-Water proof Distribution Box HK Series IP 55  
 -Material : Cover-PC  
 Body-ABS  
 -Color: Ral 7035



Model	Size(mm)	Ways
MG-ZHC-5WAYS	158x157x108	2-5W
MG-ZHC-8WAYS	210x174x108	2-8W
MG-ZHC-12WAYS	285x174x108	2-12W
MG-ZHC-18WAYS	285x350x108	2-18W


### MG-ZHC

-Water proof Distribution Box HC Series IP 65  
 -Material : Cover-PC  
 Body-ABS  
 -Color: Ral 7035



### H TYPE

-Complete recess mount board with door, links  
 -Pole fillers and backboard. These distribution  
 -Boxes comply with IEC standards with metal standbase




### DGG

-DISTRIBUTION BOXES - RECESS TYPE  
 -Complete recess mount board with door, links  
 -Pole fillers and backboard.  
 -These distribution  
 -Boxes comply with IEC standards  
 with metal standbase



Model	Ways	L (mm)	W (mm)	H (mm)
MGYK250	250A	600	330	660
MGYK400	400A	600	330	660



Model	Ways	L (mm)	W (mm)	H (mm)
BKD3P-125A -4W-F	4 WAY	520	405	111.25
BKD3P-125A -6W-F	6 WAY	570	405	111.25
BKD3P-125A -8W-F	8 WAY	620	405	111.25
BKD3P-125A -10W-F	10 WAY	670	405	111.25
BKD3P-125A -12W-F	12 WAY	720	405	111.25
BKD3P-125A -16W-F	16 WAY	820	405	111.25
BKD3P-125A -18W-F	18 WAY	870	405	111.25

### MGYK

-PWOER DISTRIBUTION BOX  
 -Rated operating voltage - AC400V  
 -Rated insulation voltage - AC690V  
 -Rated current : 250A-400A  
 -Protection : IP55



### BKD3P-125A

-Three phase load centres rated 125A main isolator  
 -Type 'B' distribution boards feature a metal box, encapsulated tinned, copper busbar pan assembly, metal cover with hinged door  
 -The boards are available in nine size from 4 to 20TP ways with various incomer options. The 125A,225A three phase integrated busbar accepts all Lsis components as Incoming and Outgoing devices  
 -Earth and neutral terminals are supplied as standard



Model	Size(mm)
DH-4-2	4WAY
DH-8-2	8WAY
DH-10-2	10WAY
DH-14-2	14WAY
DH-16-2	16WAY
DH-18-2	18WAY

Model	Size(mm)
DGG9	9WAY
DGG13	13WAY
DGG17	17WAY

### ABS 203B-225A

-THREE PHASE LOAD CENTRES RATED 225A MAIN MCCB  
 -Type 'B' distribution boards feature a metal box, encapsulated tinned, copper busbar pan assembly, metal cover with hinged door  
 -The boards are available in nine size from 4 to 20TP ways with various incomer options. The 125A,225A three phase integrated busbar accepts all Lsis components as Incoming and Outgoing devices  
 -Earth and neutral terminals are supplied as standard



### ABS 1P+N

-C.CONSUMER UNITS WITH DIN RAIL  
 -The consumer units feature a metal box and cover with hinged flap.  
 -They are available in 8 and 12 modules. The units are without busbar and can be wired with all Lsis component device  
 -Earth and neutral terminals are supplied as standard




Model	Ways	L (mm)	W (mm)	H (mm)
IP-ABS 203B-225A-4W-F	4 WAY	648	425	162
IP-ABS 203B-225A-6W-F	6 WAY	698	425	162
IP-ABS 203B-225A-8W-F	8 WAY	748	425	162
IP-ABS 203B-225A-10W-F	10 WAY	798	425	162
IP-ABS 203B-225A-12W-F	12 WAY	848	425	162
IP-ABS 203B-225A-16W-F	16 WAY	948	425	162
IP-ABS 203B-225A-18W-F	18 WAY	998	425	162
IP-ABS 203B-225A-20W-F	20 WAY	1020	425	162

Ways
4 WAY
6 WAY
8 WAY
10 WAY
12 WAY
16 WAY
18 WAY

Model	Ways	L (mm)	W (mm)	H (mm)
ABS 203B-225A-4W-F	4 WAY	620	405	111.25
ABS 203B-225A-6W-F	6 WAY	670	405	111.25
ABS 203B-225A-8W-F	8 WAY	720	405	111.25
ABS 203B-225A-10W-F	10 WAY	770	405	111.25
ABS 203B-225A-12W-F	12 WAY	820	405	111.25
ABS 203B-225A-16W-F	16 WAY	920	405	111.25
ABS 203B-225A-18W-F	18 WAY	970	405	111.25
ABS 203B-225A-20W-F	20 WAY	1120	405	111.25

Model	Ways	L (mm)	W (mm)	H (mm)
1P+N-8L-S	8 WAY	220	370	93
1P+N-12L-S	12 WAY	220	442	93



### IP-ABS 203B

Description  
 -Outdoor 'B' distribution boards feature a metal box c/w gland plate, hinged door mounted with quarter turn insert lock c/w framed-in PU gasket, canopy and detachable internal cover panel.  
 -The Boards are equipped with encapsulated tinned copper busbar pan assembly.  
 -The boards are available in size from 4 to 20TP ways with various in corner options.  
 -The 225A three phase integrated busbar accepts all Lsis components as Incoming and Outgoing devices.  
 -Earth and neutral terminals are supplied as standard.



### BOX ACCESSORIES

-BOX ACCESSORIES  
 -Internal metal accessories module



◆MGDB-A-NEW

-MGDB-A  
NEW TYPE MCB DIN RAIL TYPE with Main Switch



Model	Ways	L (mm)	W (mm)	H (mm)
MGDB-A-SPN	4WAY	57.5	44.5	25.5
MGDB-A-SPN	6WAY	57.5	44.5	30.5
MGDB-A-SPN	8WAY	57.5	44.5	35.5
MGDB-A-SPN	12WAY	57.5	44.5	45.5
MGDB-A-TPN	4WAY	50	43	26.2
MGDB-A-TPN	6WAY	55.5	43	26.2
MGDB-A-TPN	8WAY	60.9	43	26.2
MGDB-A-TPN	12WAY	71.7	43	26.2

◆MGDB-A-OLD

-MGDB-A  
MCB PLUG IN TYPE with Main Switch



Model	Ways	L (mm)	W (mm)	H (mm)
MGDB-B-TPN	4WAY	53.5	43	31
MGDB-B-TPN	6WAY	59	43	31
MGDB-B-TPN	8WAY	64.5	43	31
MGDB-B-TPN	12WAY	75.5	43	31

◆MGDB-B

-MGDB-B  
Iron sheet thickness 1.2mm



◆MGDB-N-TPN

-MGDB-N-TPN  
1. Type A for isolator main switch, Type B for MCCB main switch  
2. The fittings are made of brass



Model	Ways	L (mm)	W (mm)	H (mm)
MGDB-N-TPN	4WAY	51	44	26.5
MGDB-N-TPN	6WAY	56.5	44	26.5
MGDB-N-TPN	8WAY	62	44	26.5
MGDB-N-TPN	10WAY	67	44	26.5
MGDB-N-TPN	12WAY	72.5	44	26.5
MGDB-N-TPN	14WAY	78	44	13
MGDB-N-TPN	16WAY	83.5	44	13
MGDB-N-TPN	18WAY	89	44	13
MGDB-N-TPN	20WAY	94	44	13
MGDB-N-TPN	22WAY	99.5	44	13
MGDB-N-TPN	24WAY	105	44	13

◆MGDB-N-SPN

-MGDB-N-SPN  
The fittings are made of brass STEEL SHEET 1.2mm

MGDB-N-SPN	6WAY	50	49.5	24
MGDB-N-SPN	8WAY	50	49.5	27.5
MGDB-N-SPN	10WAY	50	49.5	31
MGDB-N-SPN	12WAY	49.5	40	34.5
MGDB-N-SPN	14WAY	49.5	40	38
MGDB-N-SPN	16WAY	49.5	40	42
MGDB-N-SPN	17WAY	49.5	30.5	43.5
MGDB-N-SPN	18WAY	49.5	30.5	45
MGDB-N-SPN	20WAY	49.5	30.5	48.5
MGDB-N-SPN	21WAY	49.5	30.5	50
MGDB-N-SPN	22WAY	49.5	30.5	51.6
MGDB-N-SPN	23WAY 2ROWS	42	40	34.5
MGDB-N-SPN	24WAY 2ROWS	42	40	34.5
MGDB-N-SPN	26WAY 2ROWS	42	40	36.3
MGDB-N-SPN	28WAY 2ROWS	42	30.5	38.5
MGDB-N-SPN	30WAY 2ROWS	42	30.5	40.5
MGDB-N-SPN	32WAY 2ROWS	42.5	30.5	42
MGDB-N-SPN	36WAY 2ROWS	45.5	42	22
MGDB-N-SPN	40WAY 2ROWS	49	42	22
MGDB-N-SPN	44WAY 2ROWS	52.5	42	22
MGDB-N-SPN	48WAY 3ROWS	57	41.5	22
MGDB-N-SPN	54WAY 3ROWS	57	45	22
MGDB-N-SPN	60WAY 3ROWS	57	48.5	22
MGDB-N-SPN	66WAY 3ROWS	57	51	22



◆MGDB-N

-MGDB-N CHASSIS ENCLOSURE TYPE  
The fittings are made of brass

MGDB-N	6WAY	48	29	34.5
MGDB-N	8WAY	54.5	36.5	32.5
MGDB-N	10WAY	54.5	36.5	26.5
MGDB-N	12WAY	54.5	36.5	40
MGDB-N	14WAY	54.5	36.5	40
MGDB-N	16WAY	48	28.5	47
MGDB-N	18WAY	48	28.5	47
MGDB-N	20WAY 2ROWS	43.5	42	37.5
MGDB-N	22WAY 2ROWS	43.5	43.5	37.5
MGDB-N	24WAY 2ROWS	45.5	43.5	37.5
MGDB-N	26WAY ROWS	47.5	43.5	37.5
MGDB-N	28WAY 2ROWS	49	43.5	26
MGDB-N	30WAY 2ROWS	50.5	43.5	26
MGDB-N	32WAY 2ROWS	52.5	43.5	26
MGDB-N	34WAY 2ROWS	54.5	43.5	26
MGDB-N	36WAY 2ROWS	56	43.5	26
MGDB-N	30WAY 3ROWS	58.5	41.5	26
MGDB-N	36WAY 3ROWS	58.5	45.5	26
MGDB-N	42WAY 3ROWS	58.5	49	26
MGDB-N	45WAY 3ROWS	58.5	50.5	26
MGDB-N	48WAY 3ROWS	58.5	52.5	26
MGDB-N	54WAY 3ROWS	58.5	56	26
MGDB-N	40WAY 4ROWS	73.5	41.5	26
MGDB-N	44WAY 4ROWS	73.5	43.5	26
MGDB-N	48WAY 4ROWS	73.5	45.5	26
MGDB-N	52WAY 4ROWS	73.5	47	26
MGDB-N	56WAY 4ROWS	73.5	49	14
MGDB-N	60WAY 4ROWS	73.5	51	14
MGDB-N	64WAY 4ROWS	73.5	52.5	14
MGDB-N	68WAY 4ROWS	73.5	54.5	14
MGDB-N	72WAY 4ROWS	73.5	56	14

◆MGDB-H NEW

-MGDB-H NEW TYPE  
REMARK :  
1. The thickness of the SPN iron sheet is 1.0mm  
2. SPN for 2P 100A main switch, TPN for 4P 125A main switch



MGDB-H-SPN	4WAY	52.5	44	29.5
MGDB-H-SPN	6WAY	52.5	51.5	29.5
MGDB-H-SPN	8WAY	53.5	42	32.5
MGDB-H-SPN	12WAY	53.5	32	39.5
MGDB-H-TPN	4WAY	49.5	44	29.5
MGDB-H-TPN	6WAY	55	44	29.5
MGDB-H-TPN	8WAY	60.5	44	29.5
MGDB-H-TPN	12WAY	71	44	29.5

◆MGDB-E NEW

-MGDB-E (NEW TYPE)  
REMARK :  
The thickness of the iron sheet is A 1.2 mm and B 1.0mm



◆MGDB-E OLD

-MGDB-E (OLD TYPE) L7 type  
REMARK :  
The thickness of the SPN iron sheet is 0.8mm,  
The thickness of the TPN iron sheet is 1.0mm



◆MGGS-M

-MGGS-M



◆MGCS-H NEW

-MGCS-H NEW TYPE



◆FLOOR BOX

-Material: Iron  
-Floor Box  
-Color:RAL7035



Model	Ways	L (mm)	W (mm)	H (mm)
A SERIES TPN	4WAY	63	28	43
A SERIES TPN	6WAY	68.5	28	43
A SERIES TPN	8WAY	74	28	43
A SERIES TPN	12WAY	85	28	43

Model	Ways	L (mm)	W (mm)	H (mm)
A SERIES SPN	4WAY	59	30	33
A SERIES SPN	6WAY	59	33	33
A SERIES SPN	8WAY	59	36	33
A SERIES SPN	10WAY	59	39	33
A SERIES SPN	12WAY	59	42	33
A SERIES SPN	14WAY	59	45	33

A SERIES TPN	4WAY	63	28	43
A SERIES TPN	6WAY	68.5	28	43
A SERIES TPN	8WAY	74	28	43
A SERIES TPN	12WAY	85	28	43

Model	Ways	L (mm)	W (mm)	H (mm)
GEAR SWITCH	32A	53	31	31
GEAR SWITCH	63A	38.5	35	40
GEAR SWITCH	100A	54.5	41	25.5
GEAR SWITCH	200A	45.5	37.5	28.5

Model	Ways	L (mm)	W (mm)	H (mm)	T (mm)
CHANGEOVER SWITCH	32A	50.5	27	35.5	1.0
CHANGEOVER SWITCH	63A	45.5	37	34	1.2
CHANGEOVER SWITCH	100A	46	33	34.5	1.2

Model	Size(mm)
Floor Box 01	310X215X87
Floor Box 02	310X215X75